

# SEQUENCE LISTING

<110> FUJII, Nobutaka  
 TAMAMURA, Hirokazu  
 HORI, Akira

<120> CXCR4 Antagonist and Uses Thereof

<130> Fujii-8

<140> 10/525,838  
 <141> 2005-02-25

<150> PCT/JP2003/010753  
 <151> 2003-08-26

<150> JP 2002-247843  
 <151> 2002-08-27

<160> 68

<170> PatentIn version 3.3

<210> 1  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa is Arg or Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is an aromatic amino acid residue

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
 <221> MISC\_FEATURE

<222> (7)..(7)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Xaa is Arg, Glu, Lys or citrulline  
  
 <400> 1

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
 1 5 10

<210> 2  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa is Arg or Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is an aromatic amino acid residue

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline, Glu, Arg or Lys  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Xaa is Arg, Glu, Lys or citrulline  
  
 <400> 2

Glu Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
 1 5 10

<210> 3  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE

<222> (1)..(1)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is an aromatic amino acid residue  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline, Glu, Arg or Lys  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Xaa is Arg, Glu, Lys or citrulline  
 <400> 3

Xaa Glu Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
 1 5 10

<210> 4  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is an aromatic amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline, Glu, Arg or Lys

<220>  
<221> MISC\_FEATURE  
<222> (14)..(14)  
<223> Xaa is Arg, Glu, Lys or citrulline  
<400> 4

Xaa Xaa Xaa Cys Tyr Glu Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa

<210> 5  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is an aromatic amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline, Glu, Arg or Lys

<220>  
<221> MISC\_FEATURE  
<222> (14)..(14)  
<223> Xaa is Arg, Glu, Lys or citrulline  
<400> 5

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
1 5 10

<210> 6  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is an aromatic amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline, Glu, Arg or Lys

<220>  
<221> MISC\_FEATURE  
<222> (14)..(14)  
<223> Xaa is Arg, Glu, Lys or citrulline  
<400> 6

Xaa Xaa Xaa Cys Tyr Xaa Xaa Glu Xaa Xaa Xaa Xaa Cys Xaa  
1 5 10

<210> 7  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is an aromatic amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE



<222> (8)..(8)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa is Glu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline, Glu, Arg or Lys

<220>  
<221> MISC\_FEATURE  
<222> (14)..(14)  
<223> Xaa is Arg, Glu, Lys or citrulline  
<400> 7

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
1 5 10

<210> 8  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is an aromatic amino acid residue

<220>

<221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline, Glu, Arg or Lys  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Xaa is Arg, Glu, Lys or citrulline  
 <400> 8

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Glu Xaa Cys Xaa  
 1 5 10

<210> 9  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(14)  
 <223> L-amino acid or D-amino acid

```

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 9

```

```

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1           5           10

```

```

<210> 10

```

<211> 14  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Synthetic  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
 <220>  
 <221> MISC\_FEATURE  
 <222> (1)..(14)  
 <223> L-amino acid or D-amino acid  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa is Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is an aromatic amino acid residue  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>

<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline, Glu, Arg or Lys

<220>  
<221> MISC\_FEATURE  
<222> (14)..(14)  
<223> Xaa is Glu, Lys or citrulline

<400> 10

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
1 5 10

<210> 11  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is Naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 11

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 12  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-Citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 12

Arg	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 13  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 13

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 14  
<211> 14

<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 14

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Xaa Xaa Cys Arg  
1 5 10

<210> 15  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (5)..(5)  
<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<400> 15

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 16  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 16

Xaa Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 17  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic



<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-citrulline

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 17

Arg	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Xaa	Xaa	Cys	Arg
1				5					10				

<210> 18  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-lysine

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 18

Xaa	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Xaa	Xaa	Cys	Arg
1				5					10				

<210> 19  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 19

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 20  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Lys or D-Lys

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 20

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Xaa	Xaa	Cys	Arg
1				5					10				

<210> 21

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 21

Xaa	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 22  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 22

Xaa	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 23  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa is D-citrulline

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 23

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Xaa Xaa Cys Arg  
1 5 10

<210> 24

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Lys or D-Lys

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 24

Xaa Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Xaa Xaa Cys Arg  
1 5 10

<210> 25  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 25

Glu Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 26  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 26

Arg Glu Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 27

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Lys or D-Lys

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 27

Arg Arg Xaa Cys Tyr Glu Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 28

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Lys or D-Lys

<220>

<221> MISC\_FEATURE

<222> (12)..(12)  
<223> Xaa is citrulline

<400> 28

Arg	Arg	Xaa	Cys	Tyr	Arg	Glu	Lys	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 29  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 29

Arg	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 30  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys



<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 30

Arg	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Glu	Xaa	Cys	Arg
1				5					10				

<210> 31  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 31

Arg	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Glu
1				5					10				

<210> 32  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 32

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 33

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa is D-citrulline

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 33

Arg	Arg	Xaa	Cys	Tyr	Glu	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 34

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 34

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 35  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline  
<400> 35

Glu Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 36  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 36

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Glu Arg Xaa Cys Arg  
1 5 10

<210> 37  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Glu or D-Glu

<400> 37

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Glu Cys Arg  
1 5 10

<210> 38

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 38

Glu Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 39

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 39

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Xaa Arg Xaa Cys Arg  
1 5 10

<210> 40  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Glu or D-Glu

<400> 40

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Glu Cys Arg  
1 5 10

<210> 41  
<211> 14  
<212> PRT  
<213> Artificial Sequence

```

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 41

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1          5          10

<210> 42
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

```

<400> 42

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 43

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 43

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 44

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)



<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 44

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 45

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 45

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 46

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 46

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg

1

5

10

<210> 47

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (7)..(7)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 47

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 48

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (7)..(7)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 48

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 49

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 49

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 50  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (5)..(5)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<400> 50

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 51  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (5)..(5)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (7)..(7)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<400> 51

Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10			

<210> 52

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (5)..(5)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (5)..(5)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (7)..(7)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<400> 52

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 53

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (5)..(5)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (7)..(7)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<400> 53

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 54

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (5)..(5)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Glu can be Dglu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<400> 54

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 55  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (5)..(5)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Glu can be Dglu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<400> 55

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 56  
<211> 13  
<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (5)..(5)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (7)..(7)

<223> Glu can be Dglu

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<400> 56

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg

1

5

10

<210> 57

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa is D-citrulline

<220>

<221> MISC\_FEATURE

<222> (12)..(12)



<223> Xaa is citrulline

<400> 57

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 58

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa is D-citrulline

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 58

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 59

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa can be Lys or D-Lys  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline  
  
 <400> 59  
 Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg  
 1 5 10

<210> 60  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is naphthyl-alanine

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is citrulline

<220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa can be Lys or D-Lys

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline

<400> 60  
 Arg Arg Xaa Cys Tyr Xaa Arg Xaa Pro Tyr Arg Xaa Cys Arg  
 1 5 10

<210> 61  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic

<220>

<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 61

Arg Arg Xaa Cys Tyr Xaa Arg Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 62  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 62  
Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg

1 5 10

<210> 63  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 63

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 64  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 64

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 65  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 65

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 66  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 66

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 67

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 67

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 68

<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 68

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10